

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Canceled).

2. (Canceled).

3. (Currently Amended) The nanoprint mold according to claim-2 5, wherein a portion of a periphery portion of said laminated structure on the side where the concave-convex pattern is formed is inclined such that a center portion of said laminated structure has a larger thickness than an edge portion of said laminated structure.

4. (Currently Amended) The nanoprint mold according to claim-2 5, wherein a portion of a periphery portion of said laminated structure on the side on which the concave-convex pattern is formed is inclined such that a center portion of said laminated structure has a smaller thickness than an edge portion of said laminated structure

5. (Currently Amended) The ~~A~~ nanoprint mold according to claim-2, wherein for deforming a resin substrate or a resin film on a substrate to form a fine structure on a substrate with the use of a press machine, said mold comprising a laminated structure, said laminated structure including a base member having a curved surface and a pattern member having a concave-convex pattern, said mold being provided with a curved surface on the side thereof on which the concave-convex pattern is formed, and

the side of said mold on which the concave-convex pattern is formed is provided with a deep groove at at deeper than concave portions of the concave-convex pattern, at a center portion thereof of the mold between periphery portions.

6. (Currently Amended) The nanoprint mold according to claim-2 5, wherein said press machine comprises a heating and pressing mechanism.

7. (Currently Amended) The nanoprint mold according to claim-2 5, wherein said mold has a light-transmitting property.

8. (Currently Amended) The nanoprint mold according to claim-2 5, wherein said mold is flexible.

9. (Original) The nanoprint mold according to claim 8, wherein said mold is secured to a supporter via an elastomer.

10. (Original) The nanoprint mold according to claim 9, wherein said supporter comprises a rectangular, square, circular or elliptical frame structure.

11. (Currently Amended) The nanoprint mold according to claim-2 5, wherein said mold is provided with an elastomer at an edge of the side of said mold on which the concave-convex pattern is formed, said elastomer facilitating the release of said mold from said substrate.

12 -23. (Canceled).

24. (New) The nanoprint mold according to claim 5, wherein the deep groove extends and is open to the periphery portions.

25. (New) The nanoprint mold according to claim 24, wherein a second deep groove, deeper than concave portions of the concave-convex pattern and crossing the deep groove, is provided on the side of the mold on which the concave-convex pattern is formed at a center portion and extending and opening to periphery portions.